

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 09/868098 B
Source: PCT
Date Processed by STIC: 5/18/5

ENTERED



PCT

RAW SEQUENCE LISTING

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:20

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

3 <110> APPLICANT: DIEFENBACH, BEATE
 4 JONCZYK, ALFRED
 5 KRAFT, SABINE
 6 MEHTA, RAY
 8 <120> TITLE OF INVENTION: INHIBITORS OF THE INTEGRIN AvB6
 10 <130> FILE REFERENCE: MERCK-2251
 12 <140> CURRENT APPLICATION NUMBER: 09/868,098B
 13 <141> CURRENT FILING DATE: 2001-06-14
 15 <150> PRIOR APPLICATION NUMBER: PCT/EP99/09842
 16 <151> PRIOR FILING DATE: 1999-12-11
 18 <150> PRIOR APPLICATION NUMBER: DE 198 58 587.7
 19 <151> PRIOR FILING DATE: 1998-12-11
 21 <160> NUMBER OF SEQ ID NOS: 51
 23 <170> SOFTWARE: PatentIn Ver. 3.2
 25 <210> SEQ ID NO: 1
 26 <211> LENGTH: 8
 27 <212> TYPE: PRT
 28 <213> ORGANISM: Artificial Sequence
 30 <220> FEATURE:
 31 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 32 Inhibitory Peptide
 34 <220> FEATURE:
 35 <221> NAME/KEY: MOD_RES
 36 <222> LOCATION: (2)
 37 <223> OTHER INFORMATION: any amino acid
 39 <220> FEATURE:
 40 <221> NAME/KEY: MOD_RES
 41 <222> LOCATION: (5)..(6)
 42 <223> OTHER INFORMATION: any amino acid
 44 <400> SEQUENCE: 1
 W--> 45 Arg Xaa Asp Leu Xaa Xaa Leu Arg
 46 1 5
 49 <210> SEQ ID NO: 2
 50 <211> LENGTH: 38
 51 <212> TYPE: PRT
 52 <213> ORGANISM: Artificial Sequence
 54 <220> FEATURE:
 55 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 56 Inhibitory Peptide
 58 <220> FEATURE:
 59 <221> NAME/KEY: MOD_RES
 60 <222> LOCATION: (1)..(15)
 61 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,

RAW SEQUENCE LISTING

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:20

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

```

62      homo-Phe or Phg, and this region may encompass
63      0-15 residues
65 <220> FEATURE:
66 <221> NAME/KEY: MOD_RES
67 <222> LOCATION: (17)
68 <223> OTHER INFORMATION: any amino acid or its derivative
70 <220> FEATURE:
71 <221> NAME/KEY: MOD_RES
72 <222> LOCATION: (20)..(21)
73 <223> OTHER INFORMATION: any amino acid or its derivative
75 <220> FEATURE:
76 <221> NAME/KEY: MOD_RES
77 <222> LOCATION: (23)
78 <223> OTHER INFORMATION: any amino acid or its derivative
80 <220> FEATURE:
81 <221> NAME/KEY: MOD_RES
82 <222> LOCATION: (24)..(38)
83 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
84      homo-Phe or Phg, and this region may encompass
85      0-15 residues
87 <400> SEQUENCE: 2
W--> 88 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
      89   1           5           10          15
      91 Xaa Asp Leu Xaa Xaa Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      92           20           25           30
      94 Xaa Xaa Xaa Xaa Xaa Xaa
      95           35
      98 <210> SEQ ID NO: 3
      99 <211> LENGTH: 38
     100 <212> TYPE: PRT
     101 <213> ORGANISM: Artificial Sequence
     103 <220> FEATURE:
     104 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
     105      Inhibitory Peptide
     107 <220> FEATURE:
     108 <221> NAME/KEY: MOD_RES
     109 <222> LOCATION: (1)..(15)
     110 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
     111      homo-Phe or Phg, and this region may encompass
     112      0-15 residues
     114 <220> FEATURE:
     115 <221> NAME/KEY: MOD_RES
     116 <222> LOCATION: (20)..(21)
     117 <223> OTHER INFORMATION: any amino acid or its derivative
     119 <220> FEATURE:
     120 <221> NAME/KEY: MOD_RES
     121 <222> LOCATION: (24)..(38)
     122 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
     123      homo-Phe or Phg, and this region may encompass

```

RAW SEQUENCE LISTING

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:20

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

```

124      0-15 residues
127 <400> SEQUENCE: 3
W--> 128 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
129      1          5          10          15
131 Thr Asp Leu Xaa Xaa Leu Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
132      20          25          30
134 Xaa Xaa Xaa Xaa Xaa Xaa
135      35
138 <210> SEQ ID NO: 4
139 <211> LENGTH: 38
140 <212> TYPE: PRT
141 <213> ORGANISM: Artificial Sequence
143 <220> FEATURE:
144 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
145      Inhibitory Peptide
147 <220> FEATURE:
148 <221> NAME/KEY: MOD_RES
149 <222> LOCATION: (1)..(15)
150 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
151      homo-Phe or Phg, and this region may encompass
152      0-15 residues
154 <220> FEATURE:
155 <221> NAME/KEY: MOD_RES
156 <222> LOCATION: (20)..(21)
157 <223> OTHER INFORMATION: any amino acid or its derivative
159 <220> FEATURE:
160 <221> NAME/KEY: MOD_RES
161 <222> LOCATION: (24)..(38)
162 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
163      homo-Phe or Phg, and this region may encompass
164      0-15 residues
168 <400> SEQUENCE: 4
W--> 169 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
170      1          5          10          15
172 Ser Asp Leu Xaa Xaa Leu Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
173      20          25          30
175 Xaa Xaa Xaa Xaa Xaa Xaa
176      35
179 <210> SEQ ID NO: 5
180 <211> LENGTH: 38
181 <212> TYPE: PRT
182 <213> ORGANISM: Artificial Sequence
184 <220> FEATURE:
185 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
186      Inhibitory Peptide
188 <220> FEATURE:
189 <221> NAME/KEY: MOD_RES
190 <222> LOCATION: (1)..(15)
191 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,

```

RAW SEQUENCE LISTING

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:20

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

```

192      homo-Phe or Phg, and this region may encompass
193      0-15 residues
195 <220> FEATURE:
196 <221> NAME/KEY: MOD_RES
197 <222> LOCATION: (20)..(21)
198 <223> OTHER INFORMATION: any amino acid or its derivative
200 <220> FEATURE:
201 <221> NAME/KEY: MOD_RES
202 <222> LOCATION: (24)..(38)
203 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
204      homo-Phe or Phg, and this region may encompass
205      0-15 residues
208 <400> SEQUENCE: 5
W--> 209 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
      210   1           5           10           15
      212 Asp Asp Leu Xaa Xaa Leu Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      213           20           25           30
      215 Xaa Xaa Xaa Xaa Xaa Xaa
      216           35
      219 <210> SEQ ID NO: 6
      220 <211> LENGTH: 38
      221 <212> TYPE: PRT
      222 <213> ORGANISM: Artificial Sequence
      224 <220> FEATURE:
      225 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      226      Inhibitory Peptide
      228 <220> FEATURE:
      229 <221> NAME/KEY: MOD_RES
      230 <222> LOCATION: (1)..(15)
      231 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
      232      homo-Phe or Phg, and this region may encompass
      233      0-15 residues
      235 <220> FEATURE:
      236 <221> NAME/KEY: MOD_RES
      237 <222> LOCATION: (20)..(21)
      238 <223> OTHER INFORMATION: any amino acid or its derivative
      240 <220> FEATURE:
      241 <221> NAME/KEY: MOD_RES
      242 <222> LOCATION: (24)..(38)
      243 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
      244      homo-Phe or Phg, and this region may encompass
      245      0-15 residues
      248 <400> SEQUENCE: 6
W--> 249 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
      250   1           5           10           15
      252 Ser Asp Leu Xaa Xaa Leu Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      253           20           25           30
      255 Xaa Xaa Xaa Xaa Xaa Xaa
      256           35

```

RAW SEQUENCE LISTING

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:20

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

```

259 <210> SEQ ID NO: 7
260 <211> LENGTH: 38
261 <212> TYPE: PRT
262 <213> ORGANISM: Artificial Sequence
264 <220> FEATURE:
265 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
266     Inhibitory Peptide
268 <220> FEATURE:
269 <221> NAME/KEY: MOD_RES
270 <222> LOCATION: (1)..(15)
271 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
272     homo-Phe or Phg, and this region may encompass
273     0-15 residues
275 <220> FEATURE:
276 <221> NAME/KEY: MOD_RES
277 <222> LOCATION: (20)..(21)
278 <223> OTHER INFORMATION: any amino acid or its derivative
280 <220> FEATURE:
281 <221> NAME/KEY: MOD_RES
282 <222> LOCATION: (24)..(38)
283 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
284     homo-Phe or Phg, and this region may encompass
285     0-15 residues
288 <400> SEQUENCE: 7
W--> 289 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg
      290 1          5          10          15
      292 Gly Asp Leu Xaa Xaa Leu Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
      293          20          25          30
      295 Xaa Xaa Xaa Xaa Xaa Xaa
      296          35
      299 <210> SEQ ID NO: 8
      300 <211> LENGTH: 38
      301 <212> TYPE: PRT
      302 <213> ORGANISM: Artificial Sequence
      304 <220> FEATURE:
      305 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic
      306     Inhibitory Peptide
      308 <220> FEATURE:
      309 <221> NAME/KEY: MOD_RES
      310 <222> LOCATION: (1)..(15)
      311 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
      312     homo-Phe or Phg, and this region may encompass
      313     0-15 residues
      315 <220> FEATURE:
      316 <221> NAME/KEY: MOD_RES
      317 <222> LOCATION: (17)
      318 <223> OTHER INFORMATION: any naturally occurring amino acid or its derivative, Nle,
      319     homo-Phe or Phg
      321 <220> FEATURE:

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/868,098B

DATE: 05/18/2005
TIME: 09:21:21

Input Set : A:\Merc2251.app
Output Set: N:\CRF4\05182005\I868098B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. ~~2,5,6~~
Seq#:2; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,21,23,24,25,26~~
Seq#:2; Xaa Pos. ~~27,28,29,30,31,32,33,34,35,36,37,38~~
Seq#:3; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,21,24,25,26,27,28~~
Seq#:3; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:4; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,21,24,25,26,27,28~~
Seq#:4; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:5; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,21,24,25,26,27,28~~
Seq#:5; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:6; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,21,24,25,26,27,28~~
Seq#:6; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:7; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,21,24,25,26,27,28~~
Seq#:7; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:8; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:8; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:9; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:9; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:10; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:10; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:11; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:11; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:12; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:12; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:13; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,21,24,25,26,27,28~~
Seq#:13; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:14; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,24,25,26,27,28~~
Seq#:14; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:15; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,24,25,26,27,28~~
Seq#:15; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:16; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,24,25,26,27,28~~
Seq#:16; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:17; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,24,25,26,27,28~~
Seq#:17; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:18; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,17,20,24,25,26,27,28~~
Seq#:18; Xaa Pos. ~~29,30,31,32,33,34,35,36,37,38~~
Seq#:19; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,24,25,26,27,28,29,30~~
Seq#:19; Xaa Pos. ~~31,32,33,34,35,36,37,38~~
Seq#:20; Xaa Pos. ~~1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,25,26,27,28,29,30,31~~
Seq#:20; Xaa Pos. ~~32,33,34,35,36,37,38,39~~

VERIFICATION SUMMARY

DATE: 05/18/2005

PATENT APPLICATION: US/09/868,098B

TIME: 09:21:21

Input Set : A:\Merc2251.app

Output Set: N:\CRF4\05182005\I868098B.raw

L:45 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:88 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
M:341 Repeated in SeqNo=2
L:128 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
M:341 Repeated in SeqNo=3
L:169 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
M:341 Repeated in SeqNo=4
L:209 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
M:341 Repeated in SeqNo=5
L:249 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
M:341 Repeated in SeqNo=6
L:289 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
M:341 Repeated in SeqNo=7
L:335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
M:341 Repeated in SeqNo=8
L:382 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
M:341 Repeated in SeqNo=9
L:428 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
M:341 Repeated in SeqNo=10
L:474 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
M:341 Repeated in SeqNo=11
L:520 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
M:341 Repeated in SeqNo=12
L:566 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
M:341 Repeated in SeqNo=13
L:612 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
M:341 Repeated in SeqNo=14
L:658 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
M:341 Repeated in SeqNo=15
L:704 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
M:341 Repeated in SeqNo=16
L:750 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
M:341 Repeated in SeqNo=17
L:796 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
M:341 Repeated in SeqNo=18
L:830 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
M:341 Repeated in SeqNo=19
L:864 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
M:341 Repeated in SeqNo=20